

Ev Electro-Voice



POWERED

Loudspeakers

Serious Sound
Live X

Art.Nr. F01U214798

electrovoice.com

P O W E R E D





Live X Powered Loudspeakers.

The Live X series includes three versatile powered wood cabinets—two loudspeakers and a matching subwoofer. Each self-contained powered system features Electro-Voice-engineered components optimized for use with the integrated high-efficiency 1000-W and 700-W Class-D amplifier.

12

ELX 112P



12" TWO-WAY
POWERED LOUDSPEAKER

41.6 LBS | 18.9 KG

A compact, powerful, and versatile choice for sound reinforcement and stage monitoring applications—lightweight and durable, with a 1000-W amplifier.

- 12" woofer and 1.5" high-frequency titanium compression driver
- 50-Hz – 20-kHz frequency range; 132-dB max SPL
- Lightweight 1000-W Class-D amplifier—runs cool without fans
- Easy to connect and control with versatile input and output options
- Rugged wood cabinet—pole-mounts or stacks with Live X subwoofers

ELX 115P

15



50.6 LBS | 30 KG

15" TWO-WAY
POWERED LOUDSPEAKER

A powerful step up from the ELX112P, the 15" woofer and 1000-W amplifier in the ELX115P deliver extended lower frequencies and room-filling volume.

- 15" woofer and 1.5" high-frequency titanium compression driver
- 44-Hz – 20-kHz frequency range; 134-dB max SPL
- Lightweight 1000-W Class-D amplifier – runs cool without fans
- Easy to connect and control with versatile input and output options
- Rugged wood cabinet – pole-mounts or stacks with Live X subwoofers

18

ELX118P



18" POWERED SUBWOOFER

69.7 LBS | 32 KG

Optimized for performance with the ELX112P and ELX115P, the ELX118P adds a full, deep, low-frequency, amplified punch that you can hear and feel.

- 18" woofer for powerful, engaging bass response
- 32-Hz – 130-Hz frequency range; 134-dB max SPL
- 700-W Class-D amplifier – runs cool without fans
- Rugged wood cabinet – supports pole-mounted or stacked configurations

Born Stage Ready.

The Electro-Voice logo, consisting of the letters 'EV' in a bold, sans-serif font, is centered within a white square border. The logo is positioned on a dark, textured surface that appears to be a speaker grille with a circular pattern.

Clear, powerful, and musical, Electro-Voice loudspeakers command the stage at high-profile venues and major events worldwide. Born stage-ready, the Live X series includes powered and passive models that all feature Electro-Voice-engineered components in solid wood cabinets. Wherever performance matters, Live X is serious gear for serious sound.



Serious Gear.





serious sound.

- Rugged wood cabinet creates serious stage presence
- 600-W continuous and 2400-W peak power handling
- 96-dB SPL sensitivity; 137-dB max SPL
- 38-Hz – 20-kHz frequency range
- Dual 15" woofers and a 1.5" high-frequency titanium compression driver

This dual-woofer configuration delivers real low end punch – ideal for applications that demand high volume output and an ultra-wide frequency response from a single cabinet.

DUAL 15" TWO-WAY
PASSIVE LOUDSPEAKER

97.2LBS | 44 KG



15^{2X}

ELX 215

18

ELX118



18" PASSIVE SUBWOOFER

70 LBS | 32 KG

Optimized for performance with the ELX112 and ELX115, the ELX118 adds a full, deep, low-frequency punch that you can hear and feel.

· 18" woofer provides extended low-frequency output

· 32-Hz – 200-KHz frequency range

· 96-dB SPL sensitivity; 134-dB max SPL

· 400-W continuous and 1600-W peak power handling

· Rugged wood cabinet – supports pole-mounted or stacked configurations



- 12" woofer and 1.5" high-frequency titanium compression driver
- 55-Hz – 20-kHz frequency range
- 94-dB SPL sensitivity; 132-dB max SPL
- 250-W continuous and 1000-W peak power handling
- Rugged wood cabinet—pole-mounts or stacks with Live X subwoofers

The versatile ELX12 loudspeaker is a compact, powerful choice with real stage presence, for sound reinforcement and stage monitoring applications.

35 LBS | 16 KG

12" TWO-WAY
PASSIVE LOUDSPEAKER



12

ELX112

15



15" TWO-WAY PASSIVE LOUDSPEAKER

50.6 LBS | 23 KG

A powerful step up from the ELX112, the ELX115 features a 15" woofer that delivers extended low-frequency response for bigger sound in larger rooms.

· 15" woofer and 1.5" high-frequency titanium compression driver

· 50-Hz – 20-kHz frequency range

· 95-dB SPL sensitivity; 134-dB max SPL

· 400-W continuous and 1600-W peak power handling

· Rugged wood cabinet—pole-mounts or stacks with Live X subwoofers





P A S S I V E

A man with a beard is lying on his back, eyes closed, in a dark setting. A large, dark, rectangular speaker is suspended above his head, with a thin white cord or light reflecting off its top surface. The lighting is dramatic, with strong highlights on the man's face and the speaker, and deep shadows elsewhere. The overall mood is serene and focused on the audio equipment.

Live X Passive Loudspeakers

The Live X series includes four versatile four-versatile solid wood passive cabinets — three loudspeakers, including a formidable dual-15" configuration, and an acoustically matched 18" subwoofer that supports pole-mounted or stacked configurations.



Loudspeakers

P A S S I V E

EV Electro-Voice



Serious Sound

Live X

